

ALTENSTEIG

Range of product

EN10305

Welded Steel Tubes for precision applications

ROUND



EN10305-3

Ø (mm)	Wall Thickness (mm)							
	1	1,5	2	2,5	2,7	3	4	5
19								
20								
22								
23								
25								
25,4								
26								
26,9								
27								
28								
30								
32								
33,7								
34								
35								
38								
40								
42								
45								
48								
50								
52								
55								
56								
60								
63								
65								
70								
80								
82								
88,9								
114,3								

SQUARE



EN10305-3

H x B (mm)	Wall Thickness (mm)							
	1	1,5	2	2,5	3	4	5	
15x15								
18x18								
20x20								
22x22								
23x23								
25x25								
27x27								
28x28								
30x30								
32x32								
34x34								
35x35								
38x38								
40x40								
45x45								
50x50								
55x55								
60x60								
65x65								
70x70								
80x80								
100x100								

ALTENSTEIG

Range of product

EN10305

Welded Steel Tubes for precision applications

RECTANGULAR



EN10305-3

HxB(mm)	Wall Thickness (mm)						
	1	1,5	2	2,5	3	4	5
20x10							
20x15							
25x10							
25x15							
25x20							
30x10							
30x15							
30x20							
30x25							
30x28							
34x20							
34x22							
35x15							
35x20							
35x25							
40x10							
40x15							
40x20							
40x25							
40x27							
40x28							
40x30							
40x34							
45x10							
45x20							
45x25							
45x35							
50x10							
50x15							
50x20							
50x25							
50x30							
50x34							
50x35							
50x40							
54x34							
55x20							
55x25							
55x30							
55x34							
60x10							
60x15							
60x20							
60x25							
60x30							
60x35							
60x40							
60x45							
60x50							
67x35							
70x20							
70x25							
70x30							
70x40							
70x50							
75x55							
76x34							
80x20							
80x25							
80x30							
80x40							
80x50							
80x60							
85x55							
90x30							
90x40							
90x50							
90x70							
100x30							
100x40							
100x50							
100x60							
100x80							
106x34							
110x30							
120x30							
120x40							
120x60							
120x80							
130x30							
140x40							

ALTENSTEIG

Range of product

EN10305


Welded Steel Tubes for precision applications

Elliptical



	Wall Thickness (mm)					
	1	1,5	2	2,5	3	4
30x15						
32x25						
35x20						
40x20						
50x25						
60x35						
70x35						
76x26						
100x50						
120x60						

Flat Oval



	Wall Thickness (mm)					
	1	1,25	1,5	2	2,5	3
24x14						
25x10						
25x12						
26x15						
30x10						
30x14						
30x15						
30x16						
30x20						
31x16						
34x16						
35x15						
38x16						
38x20						
40x15						
40x20						
40x25						
45x25						
50x20						
50x25						
50x30						
55x25						
60x20						
60x30						
65x25						
65x35						
70x15						
70x20						
70x30						
70x40						
71x30						
75x25						
80x40						
100x50						
100x70						
125x40						

Special Profiles



	Wall Thickness (mm)				
	1	1,2	1,5	2	2,5
1R					
30x28					
30x30					
40x25					
40x28					
40x30					
50x30					


	Wall Thickness (mm)					
	1	1,5	2	2,5	3	4
4R						
20x20						
30x30						
35x20						
38x24						
40x20						
45x20						
50x15						
50x20						
50x30						
50x50						
60x25						
60x30						
60x40						
65x25						
70x30						
80x80						
20x20						
25x17						
26x20,5						
35x35						
50x15						
50x40						
60x40						
64x64						
80x40						
80x80						
95x95						

Semi Oval



	Wall Thickness (mm)		
	1	1,5	2
SOV			
30x15			
32x25			
35x20			
40x20			
50x25			
60x35			
70x35			
76x26			
100x50			
120x60			


Triangle



	Wall Thickness (mm)		
	1	1,5	2
TRI			
35x35			
55x55			
68x27			
40x40			

Special Profiles

	Wall Thickness (mm)			
	1	1,5	2	
PS/Sxxxx				PS
40 x 20				S0001
20 x 20				S0001
25 x 25				S0001
30 x 20				S0001
50,4 x 199				S0002
50 x 40				S0003
40 x 40				S0008
40 x 22				S0006
37 x 16				S0007



Our products are proposed with a large number of options, depending on mill:

- Grades: standard E195, E220, E235
- Surface finishing: variable depending on mill
- Length: standard 6 or 12 m, possibility to cut-to-length on request
- Possibility to remove inside weld
- Standard minimum quantity

For more details, please contact us. Specific demands on request.

* Blank **Cold ***Black